




8P118Y BASE FRAME CLAMP SET


車底固定夾具組

- Use the #3 clamps to fixed the base frame.(Four way)
- Fixed the #2 hooks to the ground. (Four way)
- Adjust the #4 standing frame set to make the frame immobile.
- Each set including:
- Contents:
 - #1 Square steel pipe x 2
 - #2 Fixed hooks x 4
 - #3 Base clamps x 4
 - #4 Standing frame set x 4



TOTA CLAMP

具五金鎖具專




8P1181 BASE FRAME FIXED SUPPORTS

車身固定座(BENZ, BMW)

- Special design on socket to fit the BENZ and BMW's cars.
- Use with the model 8P118Y is better.
- Each set including:
- Contents:

- #1 BENZ special locking pin x 4
- #2 BMW special locking pin x 4
- #3 Base supports x 4
- #4 BMW-E39 fixture x 4

- #5 BENZ fixture x 4
- #6 BENZ fixture x 4
- #7 BENZ fixture x 4
- #8 BMW fixture x 4





PF1101 POWER PULLER PILLAR SET

立式油壓板金柱

- Capacity: 10 ton
- Adjusting range of chain: 20"
- Adjustable pulley on tower performs both straight and angle pulls from 6" above base to a maximum of 70".
- For using in conjunction with floor system for auto body repair.
- Equipped with two big wheels for easy way to the site required.
- Please remove pulley in desired height by hand only.
- Each set including:
- Contents:
 - #1 Puller frame x 1
 - #2 10 ton ram with 10" stroke x 1(8P102)
 - #3 3/8" x 15FT chain x 1(8P108)
 - #4 Pulling pulley x 2
 - #5 Main pulley x 1
 - #6 Pin x 2
 - #7 Fixing device x 2



#1

#2

#3

#7

#6

#4

#5

PF1013 "L"TYPE POWER PULLER PACKAGES

L型油壓板金柱

- For using in conjunction with floor system for auto body repair.
- Equipped with three adjustable wheels for easy maneuvering to site required.
- Air / Hydraulic pump and 10 ton ram with 6" stroke attached.
- 88.5 kgs / 92.5 kgs / 3.47'



B0748 EXTENSION BAR

L型板金柱延長桿

- Suitable for repairing van and light truck.
- Use with PF1013 to extend the operation length.
- 17kgs / 18kgs / 0.5'



5300 BREAK PLASTIC CONNECTOR

塑膠熔接植釘機

- Use on any kind of plastic. Such as bumper, upholstery, fender, etc.
- Power: AC110V/220V, 50/60HZ
- Size: W110 x D160 x H110mm
- Contents: 0.6mm nails x 100pcs
0.8mm nails x 100pcs
90° nails x 100pcs





2525 WINDSHIELD REMOVAL KIT

擋風玻璃拆卸綜合組

- Contents: 2520 - Glasses rubber knife
- 2522A - Wire
- 2522B - Handles
- 2523 - Wire feeder tool
- 2525A - Trim pad remover
- 2525B - Windshield molding release tool.



2522 WIRE WINDSHIELD REMOVAL KIT

拉切玻璃橡膠鋼索組

- Feed the wire through the hole in the wedge shaft, loop it through the hole at the top of the shaft, and then back into the handle.
- Pressing the wedge back into the handle and the wire will be held.
- Wire material: Stainless.



2523 WIRE FEEDER TOOL

T型鋼索引線器

- Designed for easy and flexible insertion of wire through polyurethane, allowing speedy removal of bonded windshield.



2520 GLASSES RUBBER KNIFE

玻璃橡膠拉刀組

- Many wind shields, back glasses and side glasses can be removed with the knife.
- Quick and easy to use.



2521 BLADES

玻璃橡膠拉刀刀片

- Use with #2520



2524 24" WINDSHIELD WEATHER STRIP CUTTING KNIFE

玻璃橡膠切除刀


- Made of aluminum with a steel-retaining block for the blade.
- Allows the user to reach the corners of the windshield easily.
- An unique design that allows you to store an extra blade in the handle.
- Total length: 24" (610mm)

TOTA CLAMP

YC100 EXTRA LARGE SLIDING HAMMER SET

特大型板金滑鎚組

- For different extent of indentation, it has five hooks attached.
- The hooks will complete fit kinds of plate to fix your problem.
- It is a durable and made by steel.



YC900 LARGE SLIDING HAMMER SET

大型板金滑鎚組

- Include every kind of hooks and pullers to fit
- Hooks made by plate for easy work when operator use it in confined space.



YC101 UNIVERSAL DOOR FRAME PULLER

車身門框撐開器(通用型)

- Extension length: 780-1850mm
- Include: Internal replaceable bar x 1
External replaceable bar x 1
- Applicable: When the door frame, engine, space or trunk have been collision.
- Special design for working easily and saving time.
- One holding spot uses two clamps to fix the angle and increases holding coverage.



YC102 DOOR FRAME PULLER

車身門框撐開器(小型)


- Extension length: 780-1200mm
- Both sides have one clamp attached.
- Applicable: When the door frame, engine, space or trunk have been collision.



2526 3 PCS SUPER SCRAPERS

3 PCS 玻璃清潔刀組

- To easily scrape off emblems and pasters.
- Hard plastic and poly razor blade prevent damaging the surface.
- Contents: Super scraper - 25261
10" super razor scraper - 25262
Replacement poly razor blades x 100pcs - 25263





8P101A AIR PUMP

氣動幫浦

- Rugged construction and most components are made of Aluminum alloy are built for long service life, easy operation and portability.
- Automatic overload relief setting as 10000 psi protects components in hydraulic system and work safely regardless of air pressure.
- Usable oil capacity: 850cc
- Air pressure range: 120-170 psi
- Output flow rate(cc/min):

Unload	Load
700	150

8P102 EXTRA-LONG RAMS

加長型油壓缸(高級)

- Capacity: 10 ton
- Stroke: 10"
- Height: 453-707mm
- Cylinder Bore Dia: φ 45
- Oil Port Thread: 1/4", 3/8" pt

8P103 CLAMP ANCHOR BASE

油壓桿撐頭

- Use with 5/16" and 3/8" chains.
- Install on the top of model 8P102.

8P104 BALL PIVOT

油壓桿支轉頭

- Install under the model 8P102.
- This tool helps operator flexible use model 8P102.

8P105 EXTENSION BAR

合金鋼接桿組(4PCS)

- Length: 5", 10", 15", 20"
- You could choose different bar to install on the top of model 8P102, and this action is for guide the most effective way.

8P106 5/16 x 9FT. CHAIN AND GRAB HOOK

5/16" x 9尺吊鍊

- Size: 5/16"
- Length: 270cm (9ft.)
- Level: G80
- Elbow hook

3/8" 吊鍊 3/8" CHAIN

Item	Size	Length	Level	Shape
8P107	3/8"	270cm(9ft.)	G80	Straight
8P108	3/8"	450cm(15ft.)	G80	Straight

P.S. You can also choose the wide hooks or bowel shape hooks.




TOTA CLAMP

8P109 CHAIN FIXING BASE

鍊條錨座


- Applicable chain: 5/16", 3/8"
- Include two bolts to fix the stander.
- 6 sets/24/24.5/0.31'



8P110 DOWN PULLEY ASSEMBLY

底盤拉鉤滾輪座

- Applicable chain: 5/16", 3/8"
- Include two pins to fix the stander.
- Changing ways with using pulley base.
- 2 sets/18/19/0.43'



8P111 BALL PIVOT BASE

支轉頭錨座

- Applicable chain: 5/16", 3/8"
- Include two pins to fix the stander.
- Install the model 8P104 into the indentation to change the way when operator use the tool.
- 5 sets/24.5/25/0.38'



8P112 ADJUSTABLE BAR

調整型接桿

- Length: 335-525mm
- Align the Bar to fit the model 8P102.



8P113 MULTI-HOLE PULL PLATES

直向拖拉板


- To lock the screws with plate on the car, in order to pull straight-line.
- 20 pcs/25.5/26/0.53'



8P114 DOOR POST PULLER

橫向拖拉板

- Applicable chain: 5/16", 3/8"
- Fixed on the car to pull sidelong-line.
- 12 pcs/24/24.5/0.48'



8P115 HANDY HOOK

手掌型拉鉤

- Pulling after fixing the hook into the indentation.
- 12 pcs/15/16/0.65'





C101 SMALL MOUTH PULL CLAMP

窄型張引夾

- Capacity: 5 ton
- Bolt size: 16m/m φ x 70m/mL
- Single-way pull operation.
- 15 pcs/28/29/0.97'.



C101N SMALL MOUTH PULL CLAMP(TWO-WAY)

窄型張引夾(雙向)

- Capacity: 5 ton(Straight way)
2 ton(Cross way)
- Bolt size: 16m/m φ x 70m/mL
- Two-way pull operation.
- 12 pcs/26/27/1'.



C102 BIG MOUTH CLAMP

寬型張引夾

- Capacity: 3 ton
- Bolt size: 14m/m φ x 120m/m
- Single-way pull operation.
- 12 pcs/26/27/1'.



C102N BOX CLAMP

寬型張引夾(大小邊)

- Capacity: 3 ton
- Single-way pull operation.
- Both side's jaws are different in order to fit the confined room.
- Bolt size: 14m/m φ x 110 L m/m.
- 12 pcs/25/26/1'.



C102NN BOX CLAMP (TWO-WAY)

寬型張引夾(雙向)

- Capacity: 3 ton(Straight way)
2 ton(Cross way)
- Two-way pull operation.
- Both side's jaws are different in order to fit the confined room.
- Bolt size: 14m/m φ x 110m/mL.
- 12 pcs/27/28/1'.



C203 HEAVY DUTY CLAMP

重力型張引夾

- Capacity: 5 ton
- Single-way pull operation.
- Special design for operator when they need to powerful pull.
- Bolt size: 20m/m φ x 130m/mL.
- 9 pcs/28/29/0.65'.

TOTA CLAMP

C301 LONG NOSE CLAMP

扁嘴型張引夾

- Capacity: 2 ton
- Bolt size: 14m/m ϕ x 73 m/mL
- Single-way pull operation.
- The flat design is specialize for the confined room.
- 15 pcs/25/26/0.97'.



C302 MINI CLAMP (TWO-WAY)

迷你型張引夾

- Capacity: 3 ton(Straight way)
2 ton(Cross way)
- Bolt size: 14m/m ϕ x 45 m/mL
- Two-way pull operation.
- Special mini design is good to use in a narrow and small space.
- 20 pcs/20/21/0.58'.



C402 SCISSOR CLAMP

剪刀型張引夾

- Capacity: 3 ton
- Single-way pull operation.
- Clipper design to make operators do not need fixed by screws.
- The tool's feature is when operator pull longer and it will tight more.
- 10 pcs/26/27/0.92'.



C503 C-CLAMP

C型張引夾(小)

- Capacity: 5 ton
- Multi-way pull operation.
- Throat opening: 3"
- Small C-shaped design for get into inner to work.
- 8 pcs/27/28/1.1'.



C506 C-CLAMP

C型張引夾(大)

- Capacity: 4 ton
- Multi-way pull operation.
- Throat opening: 6"
- Large C-shaped design for getting into inner to work.
- 5 pcs/25/26/1.2'.



C905 UNIBODY CLAMP

車板夾

- Capacity: 5 ton
- Single-way pull operation.
- When the damage is in the middle of car plate and it is not easy to fix by those clamps. This modle of tool is using to fix this kind of problems.
- 12 pcs/24/25/0.5'.





C901 DOUBLE CLAW HOOK

鍊條連接器(鉤型)

- Capacity: 6 ton
- For use as chain shortner or chain connector.
- Use with 5/16", 3/8" chains.
- 15 pcs/24/25/0.97'.



C903 HANDY LINK

鍊條連接器(扁型)

- Capacity: 6 ton
- For use as chain shortner, chain connector or double hooks.
- Use with 5/16", 3/8" chains.
- 20 pcs/15.5/16/0.26'.



C601 FRAME RACK CLAMP

寬齒型張引夾

- Capacity: 5 ton
- Single-way pull operation.
- Serrate Length: 120mm
- The special puller design used with plate makes it hard to be broken.
- Bolt size: 14m/m \varnothing x 73 m/mL.
- 9 pcs/21/22/0.65'.



C601N FRAME RACK CLAMP (TWO-WAY)

寬齒型張引夾(雙向)

- Capacity: 5 ton(Straight way)
3 ton(Cross way)
- The special puller design used with plate makes it hard to be broken.
- Bolt size: 14m/m \varnothing x 73 m/mL.
- 9 pcs/24/25/0.65'.



C602 FRAME RACK CLAMP (MULTI-WAY)

寬齒型張引夾(多方向)


- Capacity: 5 ton(Straight way)
3 ton(Cross way)
3 ton(Multi-way)
- The special puller design used with steel makes it hard to be broken.
- Bolt size: 14m/m \varnothing x 73 m/mL.
- 9 pcs/29/30/0.65'.



C603 FRAME RACK CLAMP BAR

車身固定夾

- Capacity: 5 ton
- Bolt size: 14m/m \varnothing x 73 m/mL
- Use the two hooks to pull and fix the car.
This tool could be clipped to unibody or any other place of the body.
- The puller and hooks are adjustable, it could be chage the range for fitting the place.
- 4 pcs/24/25/0.78'.



TOTA CLAMP

C701 THIN EDGE MOUTH CLAMP

尖嘴型張引夾

- Capacity: 3 ton
- Self-tightning.
- Thin-edged mouth for getting into hard-to-reach places.
- Drop-forged round wedge to keep twist out of chain, aggressive cross-hatch tooth design, spring-loaded for easy opening.
- 15pcs/14/15/0.82'



C702 ROUND MOUTH CLAMP

圓嘴型張引夾

- Capacity: 5 ton
- Self-tightning.
- Small, light, versatile. Has a minimum of 1 1/2" throat clearance to reach around flanges, cowls, pinch welds and lips.
- Butts against panels where only narrow bite is available.
- Original wedge.
- 9/23/24/0.65'



C703 THIN HEAVY-DUTY CLAMP

重力窄型張引夾

- Capacity: 6 ton
- Self-tightning.
- It grabs 2 1/4" of metal, making it ideal for hard pulls on heavy metal of frame.
- Original straight cut tooth design.
- 9/29/30/0.65'



C902 DOUBLE CONNECTOR

鍊條轉換器


- Capacity: 6 ton
- Use with 5/16" or 3/8" chains.
- This tool enables you to use two clamps side by side for more pull.
- 20 pcs/23.5/24/0.36'



YC104 STRUT PULLER KIT

避震器座拉引器


- Overall length: 5"
- Capacity: 3 ton
- Easy, fast, reliable method for pulling strut towers.
- Developed for strut towers without bolts, to correct chassis dimensions to factory specifications. Strut tower removal in necessary.
- 6 sets/23.5/24/0.4'



YC105 DEEP HOOK SET

深拉鉤組

- Capacity: 4 tons
- For fast hook-ups on cowls, door posts and truck openings, or to reach into cramped places.
- Contents:
 - Carge bracket x 1
 - Small flat bracket x 1
 - Small fast bracket x 1
 - Adapter x 1
 - Pin x 1
- 2 sets/18/19/0.83'





2530 COLLISION HAMMER

板金用真打鎚

- Surface of hammer: 41mm ϕ
- L x W: 295mm x 114mm
- Special designed hammer surface will turn when you hit the plate to eliminate the convex plate.
- 12pcs/36 pcs/16/17/2.1'



板金用白金大頭鎚 LARGE HEAD HAMMER

Item	Spec	Size of hammer head	Length
2531	Sidelong(—)	29 ϕ	346 x 120mm
2532	Vertical()	29 ϕ	346 x 125mm



板金用特大鎚 EXTRA-LARGE HAMMER

Item	Spec	Size of hammer head	Length
2533	Sidelong(—)	36 ϕ	360 x 185mm
2534	Vertical()	36 ϕ	360 x 190mm



板金用鐵皮剪刀 PROFESSIONAL BODY SNIPS

- The edge of knife made of special material for durable using.
- Special angle design for the body sheet.

編號 Item	刀口 Edge	長度 Length
2560	直型 straight	425mm
2561	小彎 small angle	425mm
2562	大彎 large angle	365mm



8P116 MANUAL VACUUM PULLER

手動真空拉拔器

- Tray size: 125mm ϕ
- Use the vacuum theory, push all the directions to suck the plate.
- Pull the handle to fix the indentation with the plate.
- This tool also design for changing the sheet glass.
- 20 pcs/11/12/2.8'.

TOTA CLAMP

板金用撬棒

BODY PRY BARS

Item	Model	Length
2535	F1NG(小彎)	560mm
2536	F1VG(美式)	580mm
2537	F130(3尺)	900mm
2538	F125(2尺半)	750mm
2539	F120(2尺)	600mm
2540	F115(1尺半)	450mm
2541	F12W(單頭)	240mm



板金用打板

BODY WEDGE TOOLS

Item	Model	Width	Length
2542	21LV(L型)	125mm	255mm
2543	21TV(T型)	137mm	255mm
2544	2125(大直)	92mm	110mm
2545	2155(中直)	70mm	110mm
2546	21V5(小直)	48mm	110mm
2547	215J(中丸)	70mm	110mm
2548	21VJ(小丸)	48mm	110mm



板金用擋盤

BUMPING TOOLS

Item	Model	Spec	WxDxH
2549	2121(單薄)	Single thin	80x56x26
2551	21GA(雙面)	Twin surface	92x58x28
2552	21T1(超薄)	Super thin	116x66x19
2553	2122(逗點)	Comma	130x60x43



2501 AUTOMATIC WELDING SLIDE HAMMER

自動點焊倒盾組

- Full length: 435mm.
- Connect the positive handle of welding machine into the connector.
- To weld and slide the hammer at the same time.



2503 SLIDE HAMMER HOOK SET

點焊鉤倒盾組

- Full length: 435mm.
- To pull out the washer which welding in the indentation.

2510 GROUND CLAMP

點焊機用地線夾

- Connet to the negative of welding machine.

2513 WELDING HANDLE KIT

點焊機用正極手把組

- Connet to the positive of welding machine.

編號Item	2504	2505	2506	2514	2507	2508	2509	2512
Picture								
NAME	HOOK 點焊鉤子	WASHER CLAMP 5200華司夾頭	WASHER CLAMP 5500華司夾頭	WASHER CLAMP 6800華司夾頭	LONG STUD WELD TIP 點焊頭	SLOTTED WELD TIP 熱熔頭	CARBON 碳棒	COPPER GASKETS 銅華司 500PCS

5500 WELDING MACHINE

板金用點焊機

- Power: AC 220V, 50/60 HZ
- Input current: 29 KVA
- Capacity: 21 KVA
- Security system: 30A switch off
- Timer : 0.1-0.7 seconds
- Control : SCR Electron control
- Welding capacity: 0.2-0.6 mm
- Thickness of welder plank: 0.6-1.2mm
- Size: 570 H x 350W x 250D
- Contents: 2503, 2506, 2507, 2508, 2509, 2512
- 1 sets/38/39/3.2'



5400 MINI SPOT WELDING MACHINE

迷你型板金點焊機

- Small dimensions for easier moving prompt.
- Suitable to use on the vans and trucks.
- Power: AC220V, 50/60 HZ
- Welding capacity: 0.3mm
- Thickness of welder plank: 0.6-1.0mm
- Machine size: W300 x D250 x H220mm
1 set/ 20kgs/ 21kgs/ 1.56'
- Chest size: W400 x D400 x H670mm
1 set/ 12kgs/ 13kgs/ 1.65'
- Contents: 2503, 2506, 2507, 2508, 2509, 2512, and chest.

